

Amendments to the Claims: This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

1. (Currently Amended) A motor drive inverter control apparatus comprising:
 - a rectifier circuit for rectifying an AC power supply;
 - an inverter circuit driven by an output from the rectifier circuit;
 - a motor driven by an output from the inverter circuit;
 - a first capacitor coupled in parallel to the output of the rectifier circuit;
 - a second capacitor coupled in parallel to the first capacitor via a diode;
 - a control power supply circuit coupled in parallel to the second capacitor; and
 - a control circuit, driven by the control power supply circuit, for controlling the inverter circuit,

wherein the first capacitor has a capacity that ~~makes a ripple content of~~provides an input voltage to the inverter circuit ~~not less than 90% during practical~~having a ripple content greater than or equal to 90% over a range of use of the motor, and

wherein regenerative energy produced by the motor is absorbed by the first and the second capacitors.

2. (Original) The motor drive inverter control apparatus of claim 1 further comprising a discharging load coupled in parallel to the second capacitor.

3. (Original) The motor drive inverter control apparatus of claim 2, wherein the discharging load is a resistor.

4. (Currently Amended) The motor drive inverter control apparatus of claim 1, wherein the second capacitor has a capacity ~~as much as not less than~~ greater than or equal to three times that of a capacity of the first capacitor.

5. (Cancelled)

6. (Original) The motor drive inverter control apparatus of claim 1, wherein the second capacitor is an electrolytic capacitor.

7. (Original) The motor drive inverter control apparatus of claim 1, wherein the control power supply circuit works as a discharging load for the second capacitor.

8. (Currently Amended) The motor drive inverter control apparatus of claim 1, wherein the inverter circuit is formed of six pieces of switching elements coupled together into a three-phase bridge.

9. (Currently Amended) The motor drive inverter control apparatus of claim 1, further comprising a variable load and a voltage sensor coupled in parallel to the second capacitor, wherein an output from the voltage sensor determines a value of the variable load.

10. (Original) The motor drive inverter control apparatus of claim 9, wherein the variable load is a variable resistor which selects a smaller resistance value at a greater voltage sensed by the voltage sensor.

11. (Original) The motor drive inverter control apparatus of claim 9, wherein the control circuit includes the variable load and the voltage sensor.

12. (Currently Amended) The motor drive inverter control apparatus of claim 1, wherein the motor drives a compressor of a refrigerating system or an air-conditioning system ~~such as including at least one of~~ a condenser, a decompressor and/or an evaporator.

13. (Currently Amended) The motor drive inverter control apparatus of claim 1, wherein the motor drives a blower ~~which blows wind~~.

Appln. No.: 10/595,074
Amendment Dated: November 15, 2006
Reply to Office Action of: August 17, 2006

MAT-8796US

14. (Original) The motor drive inverter control apparatus of claim 1, wherein the motor is a brush-less DC motor.